

CATALOG
2024
EXTRAS
ACCESSORIES



▪ rollers and grips ▪ brushes ▪ gloves ▪ buckets ▪ other accessories ▪ personal protection equipment
▪ pro vac infusion materials ▪ extras ▪ pailboat polishing system ▪ büfa equipment

Dear Customer,

We are pleased to present our new catalogue of tools and add-ons for lamination. We have been expanding our product portfolio with accessories for manual lay-up and infusion techniques. We offer only products recommended and proven by you in your manufacturing plants and distribution locations.

The products from our increasingly wider catalogue are characterized by precision of workmanship, professionalism and ingenuity in use. In order to meet your expectations, we give you stable quality, guaranteed steady supply and the best prices through global supply of raw materials and finished products of our suppliers. We approach each customer individually. We seek to carry out even the most unusual of your orders.

We are proud to work with each of you and will take great pleasure to welcome you among our regular customers!

Kait Vahter

Member board

+37253413545

Kait.vahter@buefa.ee



Andrei Jevtušenko

Customer Service

+372 5305 5614

andrei.jevtusenko@buefa.ee



Egidijus Kerdokas

Sales Manager

Lithuania and Latvia

+370 6149 5949

egidijus.kerdokas@buefa.ee




Anastassia Rudomin

Customer Service

+372 5455 5499

anastassia.rudomin@buefa.ee



Sami Partio

Sales manager

Nordics

+358505367733

Sami.partio@buefa.de



Maria Garmaš

Customer Service

+372 55517107

maria.garmas@buefa.ee



Kersten Goldin

Warehouse manager

+372 5115509

warehouse.ee@buefa.ee





Rollers.....	4
Brushes.....	10
Extras.....	11
Scissors.....	12
Personal Protection.....	13
Infusion materials.....	14
Solvents.....	18
Release system.....	19
Hardeners.....	20
Polishing system.....	21
Büfa Equipment.....	24

Büfa Composites Baltic OÜ

Kõrtsi tee 9

75306 Lehmja, Estonia

e-mail: office@buefa.ee

www.buefa.ee

NYLON LAMINATING ROLLER

Nylon laminating roller, 13 mm fleece g/m² min: 930, top quality, long life, non-shredding, very high resistance to solvents, for all types of polyester coatings and synthetic resin.

0267206 Nylon roller white 10 cm	Price: 1,5 €/piece
0268062 Nylon roller grey stripe 10 cm	Price: 4,5 €/ pack of 10
0268061 Nylon roller grey stripe 15 cm	Price: 8,50 €/pack of 10
0268060 Nylon roller grey stripe 18 cm	Price: 7,6 €/pack of 5 pc



POLYACRILIC LAMINATING ROLLER

Basic laminating roller, fleece: 18 mm g/m² min: 1000 heavily padded, rounded.

0268026 Polyacrylic roller green, 18cm	Price: 8,5 €/pack of 5
-----------------------------------------------	-------------------------------




ROLLER SQUEEZER

0268123 roller squeezer/pc	Price: 4,2 €/pc
-----------------------------------	------------------------



BRISTLE BRUSH ROLLER REFILL SYNTHETIC DIAM. 22 MM

Bristle roller diam. 22 mm, bristles penetrate and vent reinforcement well. This gives a high level of gloss in the laminate, brushes are replaceable. The roll is mounted on a synthetic core. The tool allows puncturing air bubbles.



0268118 Bristle refill 50 x 22	Price: 8 €/pc
0268024 Bristle refill 100 x 22	Price: 10 €/pc
0268025 Bristle refill 150 x 22	Price: 13,6 €/pc

BRISTLE BRUSH ROLLER REFILL SYNTHETIC DIAM. 28 MM

Bristle roller diam. 28 mm, bristles penetrate and vent reinforcement well. This gives a high level of gloss in the laminate, brushes are replaceable. The roll is mounted on a synthetic core. The tool allows puncturing air bubbles.

0268170 Bristle refill 50 x 28	Piece: 8 €/pc
0268101 Bristle refill 100 x 28	Price: 10 €/pc
0268171 Bristle refill 150 x 28	Price: 13,6 €/pc

BRISTLE BRUSH WIRE FRAME/ HANDLE

0268100 Roller handle 50 mm	Price: 3,8 €/pc
0268017 Roller handle 100 mm	Price: 3,9 €/pc
0268016 Roller handle 150 mm	Price: 4 €/pc

BRISTLE COMPLETE (HANDLE+ROLLER)


Also available x22cm completes

0268161 Roller 50 x 28 +handle	Price: 10 €/pc
0268172 Roller 100 x 28 +handle	Price: 13,7 €/pc
0268162 Roller 150 x 28 +handle	Price: 15 €/pc

PLASTIC FINNED ROLLERS

Acetal roller, penetrates and vents; durability and long life; weak adhesion of the resin makes the roller easy to clean; it is less likely that the discs will cut through the fiberglass during rolling.

0268119	Plastic finned roller 10 x 70 mm	Price: 9,5 €/pc
0268114	Plastic finned roller 15 x 70 mm	Price: 9,50 €/pc
0268163	Plastic finned roller 15 x 100 mm	Price: 12,5 €/pc
0268115	Plastic finned roller 15 x 140 mm	Price: 15 €/pc
0268116	Plastic finned roller 25 x 70 mm	Price: 12,6€/pc
0268117	Plastic finned roller 25 x 140 mm	Price: 20 €/pc



FINNED ALUMINIUM ROLLER

Follows fiber direction, less spray, light weight, small sizes available

0268132	Roller 6 x 50mm	Price: 8,5€/pc
0268121	Roller 8 x 50mm	Price: 9€/pc
0268180	Roller 14 x 35mm	Price: 6,9€/pc
0268155	Roller 14 x 70mm	Price: 7€/pc
0268156	Roller 14 x 100mm	Price: 7,4€/pc
0268153	Roller 22 x 140mm	Price: 8,50€/pc



WASHER ROLLER

Metal rollers made of steel washers separated by steel spacers.

0268133	Washer roller 15 x 50 mm	Price: 6 €/pc
0268135	Washer roller 15 x 100 mm	Price: 7 €/pc
0268146	Washer roller 25 x 100 mm	Price: 7,5 €/pc



BARREL ROLLER

Barrel roller; aluminum barrel-shaped roller, allows precise venting of rounded contours.

0268124 Barrel roller 50 x 16/25/16mm

Price: **8 €/pc**

0268125 Barrel roller 75 x 22/25/22mm

Price: **12 €/pc**



ALUMINIUM DISC ROLLER

Aluminum Disc Roller, diameter 4 cm; used to clamp the fibers with resin at the corners of the mould. The discs are riveted aluminum.

0268149 Disc Roller height 15 cm

Price: **5,9€/pc**


0268164 Disc Roller height 30 cm

Price: **5.7€/pc**



PLASTIC DISC ROLLER


0268126 Diam. 4 cm, height 35 cm and 26 cm Price: **5,9€/pc**



PADDLE ROLLERS

Aluminum roller with long ribs; durability and long life; easy to clean; lightweight; easy to use.


0268104	Paddle roller 15x50 mm	Price: 3,50€/pc
0268128	Paddle roller 15x70 mm	Price: 4,00€/pc
0268105	Paddle roller 15x100 mm	Price: 3,80€/pc
0268138	Paddle roller 21x50 mm	Price: 3,80€/pc
0268120	Paddle roller 21x70 mm	Price: 3,80€/pc
0268129	Paddle roller 21x100 mm	Price: 4,00€/pc
0268020	Paddle roller 21x140 mm	Price: 4,30€/pc
0268165	Paddle roller 21x180 mm	Price: 5,00€/pc
0268066	Paddle roller 21x225 mm Short	Price: 6,0€/pc



V-ROLLER (BUBBLE BUSTER)

V-notch roller, combines the conventional paddle design with a V notch, reduces the amount of spray

0268140	Bubble roller 15x50 mm	Price: 4,9€/pc
0268141	Bubble roller 15x70mm	Price: 5,0€/pc
0268154	Bubble roller 15x140mm	Price: 5,5€/pc
0268139	Bubble roller 21x70 mm	Price: 5,0€/pc
0268130	Bubble roller 21x100 mm	Price: 5,4€/pc
0268136	Bubble roller 21x140 mm	Price: 7,0€/pc
0268142	Bubble roller 21x180mm	Price: 7,5€/pc
0268252	Bubble roller 45x140mm	Price: 8,9€/pc
0268253	Bubble roller 45x180mm	Price: 10,2€/pc
0268254	Bubble roller 45x225mm Short	Price: 10,9€/pc



SPRING ROLLER

Very flexible good quality, long lasting roller


0268166	Roller 40 diam x 130mm	Price: 32€/piece
0268167	Roller 26 diam x 90mm	Price: 30€/piece



BOLT ROLLERS

The roller penetrates and aerates; grooved vertically, provide less splashing while rolling, easy to use, lightweight, made from galvanized steel frame, aluminum rollers; high profile grip for improved comfort.

0268109 Bolt roller 6 x 25 mm	Price: 4,5 €/pc
0268110 Bolt roller 6 x 50 mm	Price: 5,5 €/pc
0268111 Bolt roller 10 x 70 mm	Price: 5,3 €/pc
0268127 Bolt roller 10 x 100 mm Long	Price 6,5 €/pc
0268112 Bolt roller 12 x 70 mm	Price: 5,0 €/pc
0268174 Bolt roller 16 x 70mm	Price: 5,8€/pc
0268158 Bolt roller 16 x 100mm Long	Price: 7€/pc
0268113 Bolt roller 20 x 100 mm	Price: 6 €/pc
0268160 Bolt roller 20 x 140mm	Price: 9€/pc



WAX FILLET TOOLS SET

Can be sold separately (Small, Medium and Large sizes)

Nickel, three sizes:

6 mm–10 mm

12 mm–15 mm

20 mm–25 mm

0268122 Set of 3 pcs.

Price: **38€/pc**



RADIAL BRUSH

White bristles, galvanized cap, wooden handle.
Packs of 12pc



0268040 Radiator brush 36 mm
0268042 Radiator brush 50 mm

Price: **7,2€/pack of 12 pc**
Price: **7,9€/pack of 12 pc**

GRP PAINTBRUSH

Solvent resistant white bristle laminating brushes. Available with wooden handles.

0268177 Brush Laminating 25mm
0268147 Brush Laminating 50mm
0268178 Brush Laminating 100mm

Price: **0,7€ /pc**
Price: **1,05€/pc**
Price: **2,39 €/pc**



WOODEN STIRRERS

Used for mixing liquids and pastes, resins and gel coats, the package contains 100 pieces.

0268194 Stirrers length 15 cm Price: **4,5€/pack**
0268195 Stirrers length 30 cm Price: **8,5€/pack**



HARD WEDGE

Packs of 10 pieces.

0268022 Wedge 130 x 55 mm, hard
0268240 Wedge 175 x 55 mm, yellow, hard

Price: **40€/pack of 10**
Price: **50€/pack of 10**

Separately by pc

0268241 Wedge 125 x 55 mm, yellow, hard
0268021 Wedge 175 x 75 mm, yellow, hard

Price: **4€/pc**
Price: **5€/pc**



FLEXIBLE WEDGE

0268175 Wedge 125 x 55 mm
0268176 Wedge 175 x 75 mm

Price: **4€/pc**
Price: **5€/pc**

BUCKETS

Made from the best available raw materials (polypropylene), delivered by renowned European companies, provided with seals that ensure batch integrity from the moment of filling.

0268190 Bucket 1 litre	Price: 0,23€/pc
0268192 Bucket 2.75 litre, metal grip	Price: 0,98€/pc
0268193 Bucket 5 litre, metal grip	Price: 0,9€/pc
0268028 Bucket 5 litre, plastic grip	Price: 0,75€/pc



LIDS

0268191 1 litre bucket lid	Price: 0,1€/pc
0268056 2.75 litre bucket lid	Price: 0.2€/pc
0268057 5 litre bucket lid	Price: 0.3€/pc



CATALYST DISPENSER WITH LID

Made of high quality flexible plastic, the scoop on the neck allows measuring the exact amount of hardener and getting the appropriate amount of the resin and hardener mixture.


0268018 Dispenser 15ml/500 ml	Price: 12 €/pc
0268019 Dispenser 80ml/1000 ml	Price: 15 €/pc



COTTON CLOTH

Natural 100% cotton soft fabric is specially designed for applying release agents and for drying moulds. It has special softness and thickness, chemical free. We sell it per kilograms/pre-cut in boxes 35 x 40 cm.

0268265 Chemlease Cotton Cloth/k



SCISSORS

Shears, blade length 12 cm, total length with handle 22 cm, very robust; can be disassembled for blade sharpening.

0268168 Shears (Scissors) 8" in/20cm Price: **28€/pc**



0268131 Kevlar Scissors 10"/pc Price: **80€/pc**



SCREAPERS

Bakelite scrapers which are used for mould flange are to clean cured gelcoat and resin. Do not damage the mould, very safe to use.

0268197 Fiber screaper 10x200x4mm/pc	Price: 3,3€/pack
0268232 Handle for screaper 10x200/pc	Price: 4,2€/pack
0268198 Fiber screaper 20x200x4mm/pc	Price: 4€/pack
0268199 Handle for screaper 20x200/pc	Price: 4,4€/pack
0268203 Fiber screaper 40x200x4mm/pc	Price: 6,5€/pack
0268238 Handle for screaper 20x200/pc	Price: 6,2€/pack



CASPIA CHEMICAL RESISTANT GLOVES

Resistant to acids, made from natural latex, coated with a 0.7 mm thick neoprene layer, roughened surface structure in the palm and fingers area, velvet lining on the inside. They are characterized by excellent anti-slip properties and grip, great fit to your hand.

Packs of 12 pairs.

Standards: EN374, EN420, EN388

0268188 Size M/8

Price: **22€/pack**

0268189 Size L/9

Price: **22€/pack**

0268183 Size XL/10

Price: **22€/pack**



LATEX GLOVES

100 pc in pack

0320080 Gloves latex M

Price: **8€/pack**

0268037 Gloves latex L

Price: **8€/pack**

0320067 Gloves latex XL

Price: **8€/pack**



SAFETY GLASSES

Safety glasses with adjustable temples, CE.

Safety glasses protect the user's eyes from mechanical low-energy flying particles.

0320008 Safety glasses

Price: **2,5€/pc**



PROTECTIVE RESPIRATOR WITH VALVE

0268048 Protective respirator FFP2

Price: **2,2/piece**




INJECTOR

9300970 PVINB-16 inlet block, 16 mm/ pc
Other measures also available on request.



OMEGA PROFILE

9300973 PVO-16 Omega-Kanal, 16 mm, 2,5m (not cutted)



INFUSING VALVE

9300980 PVV-10 Infusion valve, 10 mm/pc
9300981 PVV-12 Infusion valve, 12 mm/pc
9300982 PVV-18 Infusion valve, 18 mm/pc



T CONNECTOR


(L connector also available)

9300960 T-Connector 10 mm, PVT-10/pc
9300961 T-Connector 12 mm, PVT-12/pc
9300962 T-Connector 18 mm, PVT-18/pc




GREEN INFUSION MESH

9309010 Mesh FMB230P green, 1.2m x 50m, roll 60m²




BLACK INFUSION MESH

9309020 Black Mesh KM160E1, 100cm x 100m, roll 100m²



MESH + FILM

9309021 Mesh + Film, 1,45mx100m, roll 145m²



MESH + FILM+ PEELPLY

9309051 PRO-VAC TRI-PLY 1,52m x 100m, roll 152m²



PERFORATED RELEASE FILM


9300917 Release Film PRO-VAC-P31 roll 750m² 1.5 x 500 m



SPIRAL WRA

9300931 Spiral hose 10mm x 100m, roll 100m

9300930 Spiral hose 12 mm x 100, roll 100m




INFUSION HOSE

9300933 Infusion Hose 10mm x 100m, roll 100m

9300934 Infusion Hose 12mm x100m, roll 100m

9300937 Infusion Hose 19mm x 50m, roll 50m, Reinforced



SEALANT TAPE

9309006 Sealtape 3mmx10mmx15m black

22pc in box (330m 1 box)



FLASH TAPE

9309052 Pro Vac flash tape 1G 50mmx66m

9309053 Pro Vac flash tape 1G 25mmx66m



SPRAY ADHESIVE

Top quality product, it provides very fast bonds and very fine coverage. It allows to obtain excellent bonds very easily on a wide variety of materials such as: metals, plastic, expanded materials, glass and wood.

02212085556 AS21 Adhesive Spray/pc



PEEL-PLY

- 9309004** Peelply PVP85 tape 10cm x 100m, roll 10m²
- 9309015** Peelply PVP100 tape 15cm x 100m, roll 15m²
- 9309005** Peelply Poly tape 20cm x 100m, roll 20m²
- 9309017** Peelply Poly PVP85 tape 30cm, roll 30m²
- 9309013** Peelply Pol.PVP85 152cm x 100m, roll 152m²



INFUSION FILM

- 9309014** Green Bagging Film 150-LG75-**3m-wide** x 200m, roll 600m²
- 9300906** Green Bagging Film 150-LG75-**4m-wide** x 200 m, Roll 800 m²
- 9300904** Green Bagging Film 150-LG75-**6m-wide** x 125m, Roll 750 m²
- 9301000** Green Bagging Film 150-LG75-**8m-wide** x 80 m, Roll 640 m²
- 9309012** Green Bagging Film 150-LG75-**10m-wide** x 75m, roll 750m²
- 9300902** Green Bagging Film 150-LG80-**12m-wide** x 75m, Roll 900 m²
- 9309032** Green Bagging Film 150-LG80-**16m-wide** x 70m, roll 1120m²



TUBE SHAPE

- 9309023** Orange Bagging Film/170dia 1.7m tube x 100m, roll 340m²
- 9309016** Orange Bagging Film/120dia 1.2m tube x 250m, roll 600m²



MESH PROFILE FOR RESIN FLOW

- 9309089** PRO-VAC Res-Feed 100mm x 100m, roll 100m
- 9309090** PRO-VAC Res-Feed 50mm x 100m, roll 100m



BREATHER

- 9300676** PV B-150 Breather Mat,150 g/m², Roll 1,52 x 100 m



GRP MULTI CLEANER SOLVENT

GRP Multi-Cleaner is a modern detergent. It has comparable dissolution rate (e.g. resin) with acetone and methylene chloride. This innovative product is a strong solvent designed to dissolve a wide range of resins and polymers such as phenol-formaldehyde, amino resin, epoxy, polyurethanes and unsaturated polyester resins. For cleaning the equipment, it is recommended to use the solvent heated to a temperature of 35–40 °C. The GRP Multi Cleaner has a high flash point of 108 °C and a high boiling point (200–230 °C), which makes it non-flammable and allows for use within a wide range of temperatures. The GRP Multi Cleaner is safe to use, because it is a non-toxic agent, does not irritate the skin, and is not carcinogenic, which makes it an ideal alternative to the traditional solvents. It provides a significant improvement in health and safety. The GRP Multi Cleaner biodegrades easily, has low flammability, and very low toxicity. This makes it an excellent alternative to solvents such as methylene chloride or NMP (N-methylpyrrolidone) and acetone.

02500055553 pails 21 kg

02500058883 barrels 220 kg

02500058884 IBC container 1100kg

Note: The above information is based on our present knowledge and experience. Given the variety of factors that may affect the working conditions and the use of our product, the user is not exempt from carrying out their own tests and studies. This information cannot be considered a legally binding guarantee of certain properties or applicability of the product for a particular purpose. The recipient or user of our products is responsible for ensuring equity as well as applicable laws and regulations. You should also observe the latest version of the MSDS.

Parameter		Size	Value
Content	min.	99.0	%
Water content	max.	0.2	%
Appearance		cloudy	
Acidity	max.	0.05	%
Dimethyl adipate		0.05	%
Dimethyl succinate		10.0 – 25.0	%
Glutaric acid dimethyl ester		55.0 – 73.0	%
Density (20°C)		1.085 – 1.095	g/cm ³
Refractive index (nD20)		1.422 – 1.426	



ACETONE

02511118883 Acetone drum/160kg



CHEMLEASE MOULD CLEANER EZ

Chemlease Mould Cleaner EZ – special solvent mixture for washing, cleaning and surface preparation for moulds to apply the separation system; min. number of wash cycles: 2–3. Colourless.

Available in packages:

02306025557 Chemlease Mould Cleaner EZ **0.7 kg**

02306025552 Chemlease Mould Cleaner EZ **3.8 kg**



Release Innovation™

CHEMLEASE 15 SEALER EZ

Chemlease 15 Sealer EZ – high quality agent to reduce the porosity of the mould; improves the effectiveness of the proper separator; works with all Chemlease separators on moulds of polyester, aluminum, steel, etc.; minimum number of application cycles: 1–3; easy to apply (does not leave streaks) after washing off the mould with the Chemlease Mould Cleaner EZ; colorless.

Available in packages:

02306505557 Chemlease 15 Sealer EZ **0.71 kg**

02306505552 Chemlease 15 Sealer EZ **3.5 kg**



Release Innovation™

CHEMLEASE 75 EZ RELEASE AGENT

Chemlease 75 EZ – semi-permanent, no-transfer separator for excellent product aesthetics, even allowing for multiple moulding without regenerating separator layers; minimum number of application cycles: 4–5; easy to apply (does not leave streaks) after using Sealer 15.

Available in packages:

02306535557 Chemlease 75 EZ **0.68 kg**

02306535552 Chemlease 75 EZ **3.4 kg**



Release Innovation™

CHEMLEASE MPP712 EZ PRIMER

Chemlease MPP 712 EZ is formulated for sealing tooling in both the FRP and advanced composites sectors. Appropriate substrates include polyester gelcoat and non-gelcoat, epoxy and phenolic mould surfaces, and most metals. Chemlease MPP 712 EZ is not recommended for sealing monolithic graphite or ceramic tooling.

02307125551 CHEMLEASE MPP 712 EZ 0,93kg



Release Innovation™

BÜFA®-RELEASE LACQUER NATURE

PVA Mould Release Lacquer natural is a skin forming release agent made on a polyvinyl alcohol base dissolved in a mixture of ethanol/water. A glossy, tough PVA layer forms after drying.

74100520056 BÜFA®-Release Lacquer Nature **4.5 kg**



BÜFA®-BF 700 MOULD RELEASE CARNAUBA WAX PASTE

Separation wax BF 700, based on carnauba wax; contains no silicone; used for separating layers in moulds of polyester, epoxy, plastic, wood, plaster. Recommended number of layers: 5–7.

02207005558 BÜFA®-BF 700 Mould release waxpaste **0.4 kg**



CUROX M-303 HARDENER (STANDARD)

Hardener for polyester resins, particularly gel coats and topcoats; due to its low water content and active hydrogen, it provides excellent deaeration; average gelation time, average curing time, density of only 1.01 kg/liter (stirs very easily while spraying) does not contain harmful phthalates, available in dyed variants. M-303 is most regular hardener type.

02100535552 Curox M-303 **5 kg**

02100535553 Curox M-303 **25kg**



UNITED INITIATORS

CUROX M-102 (SLOWER)

Colourless, mobile liquid, consisting of peroxides based on methyl ethyl ketone, essentially desensitized with aliphatic ester. This ketone peroxide is used as an initiator (radical source) in the curing of unsaturated polyester resins and vinyl ester resins. Main application: curing of large moulded parts at ambient temperature in combination with cobalt accelerators.

02100335553 Curox M-102 **22.5 kg**



UNITED INITIATORS

CUROX A-300 (FAST CURING)

Colourless, mobile liquid, consisting of peroxides based on acetyl acetone, essentially de-sensitized with diacetone alcohol. This ketone peroxide is used as an initiator (radical source) in the curing of unsaturated polyester resins. Main application: curing of thin-wall moulded parts at ambient temperature in combination with cobalt accelerators.

02100305553 Curox A-300 **25 kg**



UNITED INITIATORS

CUROX CM-75 (LOW PEAK)

Yellowish, mobile liquid, consisting of peroxides based on methylethylketone peroxide and cumene hydroperoxide, essentially desensitized with phthalate plasticizer. This blend is used as an initiator (radical source) in the curing of unsaturated polyester resins, particularly also vinylester resins. Main application: vacuum infusion / plastic bag – technology ;curing of hand/spray-layup reinforced parts at ambient temperature in combination with cobalt or cobalt/amine accelerators. Mainly used for thicker laminates.

02100705553 Curox CM-75 **25 kg**



UNITED INITIATORS

REX XTRA MODERNTÉ

Extra cutting polishing compound used either to remove marks and P600-P800 sand scratches (according to the hardness of treated resins) or to restore high-oxidized gelcoats very fast and well, without overheating the surface. It assures a high quality finish without marks and haze as well as with low particles' over-splating. Its specific viscosity allows an easy, clean and even application. Further, its new revolutionary formula has been designed to remain wet for longer time, thus avoiding drying-up on the surface and on the pad.

Color: White	Density: 1,66 g/ml
Physical form: Creamy	Flammability: Not flammable
Odour: Light and pleasant	Type of surface: grp, gelcoat, epoxy

02290028882 REX Xtra Mordente 1kg

02290028885 REX Xtra Mordente 3kg



NW 6 RAPID CUT PASTE

Polishing paste designed for quick and easy use by professionals. It is the fastest way to remove traces of sanding with 800–1000 sandpaper, depending on the hardness of the polished gel coat surface. Gives a deep and clear gloss. The NW6 polishing paste is appreciated its high abrasive strength and giving deep gloss in one step without overheating the polished surface. A water-based agent, safe for humans and the environment. Packaging: 1 kg, 3 kg

02201328885 NW6 Rapid Cut 3kg



TOPFINISH 2 NANO REFINISHING POLISH

A nanoproduct for the final finishing of the gel coat surface. A combination of abrasives and polishing agents that removes light scratches and marks left after the initial polishing. Restores original gloss; the product is safe for humans and the environment.

Color: light blue

Consistency: cream

Packaging: 0.5 kg, 1 kg, 5 kg

02212008882 1 kg

02212008892 5 kg



UV SHIELD premium seasonal wax

Super protective and ultra-performing wax for gelcoat and composite materials, with amazing water beading properties and highly resistant. It leaves a thin but tough film that anchors to the surface, keeping it shiny and protected from UV rays, weathering, pollution, tree sap, droppings, etc. UV SHIELD has been specifically formulated by our lab to assure a real protective shield that lasts a season. Thanks to its balanced blend of UV ray inhibitors, Carnauba waxes and polymers, it feeds and restores the original deep shine of surfaces, leaving a protective water repellent barrier and a rich gloss that lasts for long time.

02212018882 UV Shield/premium wax/0.5kg

02212018892 UV Shield/premium wax/5kg



FLASH TOUCH FAST SPRAY POLISH & WAX

Performing product 3in1: it cleans, polishes and protects. This is a spray polish with excellent waxing proprieties. It is extremely easy, clean and quick to apply and remove. Thanks to its natural waxing agents, it leaves a thin resistant protective layer on the surface. FLASH TOUCH is the fastest way to reach a radiant and shiny finishing, assuring very good protection. Perfectly suitable for gelcoat, composite parts and resins, it may be used also on paints, plastics, rubber and glasses.

02201378882 Flash Touch 0.5kg



Color: White	Density: 1,000 g/ml
Physical form: Liquid	Flammability: Not flammable
Oduor: Light and pleasant	Type of surface: Gelcoat, lacquer, plastics, rubber, glass

ABRASIVE/SANDING DISC

	Paper 15 holes	Price/pc
320083	Abrasive disk PAP/P40	0,50 €
320084	Abrasive disk PAP/P60	0,50 €
320085	Abrasive disk PAP/P80	0,50 €
320086	Abrasive disk PAP/P120	0,50 €
320087	Abrasive disk PAP/P240	0,50 €
320088	Abrasive disk PAP/P320	0,50 €
320089	Abrasive disk PAP/P400	0,50 €
320090	Abrasive disk PAP/P600	0,50 €
	Film 15 holes	Price/pc
320092	Abrasive disk FIL/P120	0,50 €
320094	Abrasive disk FIL/P320	0,50 €
320095	Abrasive disk FIL/P400	0,50 €
320096	Abrasive disk FIL/P600	0,50 €
320097	Abrasive disk FIL/P800	0,50 €
320007	Abrasive disk FIL/P1000	0,50 €
320098	Abrasive disk FIL/P1200	0,50 €



SL3 fine wool pad

Wool fiber buffing pad, soft, one-sided, Ø180 mm.

0268219 SL3 Fine wool pad 75mm/1pc

0268239 SL3 Fine wool pad 150mm/1pc

0268205 SL3 Silky Fine Wool Pad 180mm/1pc



ST1 curved twisted wool pad

Twisted wool fiber buffing pad, one-sided with a curved edge.

0268209 ST1 Twisted Curved Wool Pad dm 180mm White /1pc

0228981 ST1 Twisted Curved Wool Pad dm 200mm Yellow/1pc



ST2 double-sided twisted wool pad

Twisted wool fiber buffing pad, double-sided with a curved edge

0268210 ST2 Double-Sided Twisted Wool Pad 200mm



WOOL BALL

Ideal for tiny spaces of moulds thanks to its flexibility and double-sided feature.

0228008 Wool Ball 80mm



BACK PLATE

0268208 S8 Rigid back plate 75mm

0268204 S10 Semi-Flexible back plate 150mm

0268220 S15 back plate for twister



S13 connector

Connector for double-sided buffing pad

0268207 1 piece



DISPENSERS

1000 ML PP DISPENSER

0261000 1000 ml PP dispenser for highly viscous liquids, stroke 10 ml, for use with resins.



500ML PP DISPENSER

0260500 500 ml PP dispenser for highly viscous liquids, stroke 10 ml, for use with resins.

0260550 500 ml for hardener and resin



100 ML PP DISPENSER

0260800 100 ml PP dispenser for highly viscous liquids, scale to the nearest 1 ml, for use with resins, pigment pastes, gel coat sprays.

0260600 100 ml PP dispenser for low-viscosity liquids, scale to the nearest 1 ml, for use with peroxides.

0260900 B hand-pump dispenser 100 ml, NV PVDF



STIRRER FOR DRUMS

Stirrer mounted on the edge of the barrel.

Advantages of stirrers:

- * Air motors eliminate the risk of ignition of the resin
- * low-rotation stirrers do not compromise thixotropy
- * does not aerate gel coat / resin
- * eliminates processing issues caused by the use of high-speed mixers, such as:
resin flowing down the vertical walls; rapid sedimentation of fillers in flame retardant systems;
delamination of pigments in gel coats; gel coat aeration.

0290141 Stirring shaft for bunghole drums

0280144 Stirring unit for drums Hand-held unit with foldable impellers for stirring in dosed drums

0280147 Stirring unit for drums. Screw fastening for mounting on bunghole 2". Foldable impellers.

0280277 Bunghole stirring unit for drums-2 inch

0280278 Stirring unit for drums with lid

STIRRER FOR CONTAINERS

Stirrer for containers

Advantages of stirrers:

- * Air motors eliminate the risk of ignition of the resin
- * low-rotation stirrers do not compromise thixotropy
- * does not aerate gel coat / resin
- * eliminates processing issues caused by the use of high-speed mixers, such as:
resin flowing down the vertical walls; rapid sedimentation of fillers in flame retardant systems;
delamination of pigments in gel coats; gel coat aeration.

0280143 Stirring unit for IBC containers. With clamping device for open containers. For circulating and stirring filled and unfilled resin systems.

0280173 Stirring unit for IBC containers. For circulating and stirring filled and unfilled laminating resins
Including container screw cap lid.



POLYCON GUN

The POLYCON gun is used together with various types of nozzles and containers. The short travel route for the spray material, the use of a polypropylene cup, which is automatically separated from the cured material, and the practical and simple design of the gun prevent agglomeration of the material and facilitate the cleaning process. Nine tip sizes and two kinds of cups provide full flexibility regardless of the size and complexity of the work piece and different viscosity of the gel coats.

Advantages:

- quick color change
- low cost of the device
- ease of use
- easy to clean and use
- quick and uniform spray
- used for 20 years

CONTAINERS

0260324 Cup with a capacity of 1.0 liter

0260327 Lid for the 1.0 liter cup

0260326 Cup with a capacity of 2.5 liter

0260325 Lid for the 2.5 liter cup

0260330 Grip for the 2.5 liter cup

0260310 Grip for the 1.0 liter cup

NOZZLES (SINGLE)

0260341 0.8 Ø

0260342 1.6 Ø

0260343 2.4 Ø

0260344 3.2 Ø

0260345 4.0 Ø

0260346 4.8 Ø

0260347 5.6 Ø

0260348 6.4 Ø

0260349 7.2 Ø



Technical Data	
Spray performance, gel coat	max. 3.5 liter/min
Air pressure	3.5 – 7 bar
Air consumption	400 – 800 L/min
Weight	0.5 kg
Compressed air connection	quick coupling 7mm
Material	Aluminum

BÜFA WASH

0268606 3-chamber hand washing station for tools with GRP MULTICLEANER solvent.

EQUIPMENT DESCRIPTION:

- 1 compact body of stainless steel
- 3 independent heated working chambers 30 x 325 x 200 mm (LxWxH)
- 3 independent heating systems for working chambers
- perforated stainless steel inserts for working chambers 85 x 275 x 200 mm (LxWxH)
- 3 cartridges for easy cleaning of tools
- 3 thermostats 0 °C–90 °C
- 3 switches (on/off and indicator lights)
- 3 drains to remove the dirty solvent
- 3m spiral cord
- mobile design on wheels with brakes
- device powered by compressed air (dryer) for drying tools

TECHNICAL DATA:

Technical Data	
heating power of a single chamber:	1 kW/230V
heating range:	0 °C–90 °C
design compatible with standard N 60529:	IP X4
total power:	3 kW/230V, 13A
working height:	850 mm
Weight:	80 kg
Dimensions:	200 x 650 x 1950 mm (LxWxH)



Büfa Composites Baltic OÜ

Kõrtsi tee 9

75306 Lehmja, Estonia

e-mail: office@buefa.ee

www.buefa.ee