


Vacuum Infusion Accessories

Total Solutions for Professionals

*Increase process efficiency
and end product quality with
the right accessories*

BÜFA



The background features a light gray geometric pattern of overlapping hexagons. Some hexagons are solid light gray, while others are outlined in a thin blue line. Small blue dots are placed at various vertices of the hexagons. The text 'BÜFA' is centered in a bold, blue, sans-serif font.

BÜFA

TABLE OF CONTENTS

VACUUM FILMS

4

PEEL PLY

5

FLOW MEDIA

5

RELEASE FILMS

6

HOSES

7

TAPES

8

CONNECTORS

9

EXTRAS

10

* For different range of vacuum film widths-thickness-packing options please contact with Büfa representatives

BÜFA®-Vacuum - GREEN FILM

Low temp infusion film up to +120C best with polyester/Vinylester but can be used with epoxy as well, PE/PA/PE structure

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305024	WGC-120-75-24m-70m	M2	75	24	70
9305004	GC-120-80-16m-70m	M2	80	16	70
9305005	GC-120-80-12m-75m	M2	80	12	75
9305001	GC-120-75-10m-75m	M2	75	10	75
9305000	GC-120-75-8m-80m	M2	75	8	80
9305003	GC-120-75-6m-125m	M2	75	6	125
9305009	VS-120-75-4m-200m	M2	75	4	200
9305002	V-120-75-3m-200m	M2	75	3	200

BÜFA®-Vacuum - PINK FILM

Mid temp up to +170C heat stabilized film best with pre preg and glass laminating in the oven and autoclave, PA/PE/PA structure

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305006	T-170HS-125-1.7m-100m	M2	125	1,7	100
9305008	T-170HS-75-1.5m-200m	M2	75	1,5	200
9305007	T-170HS-50-1.2m-200m	M2	50	1,2	150

BÜFA®-Vacuum - VIOLET FILM

High temp up to +204C heat stabilized film best for pre preg and complex geometries pre preg parts in the autoclave due to its softness and toughness, PA structure

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305010	T-204HS-50-2.0m-150m	M2	50	2	150

BÜFA®-Vacuum - YELLOW FILM

Mid temp infusion film up to +177C best with epoxy (high tg systems) and high demanding geometries due to it tougher performance, PA/PE/PA structure

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305011	V-177-75-4.0m-150m	M2	75	4	150
9305031	V-177-65 - 5,0m - 100m	M2	65	5	100

BÜFA®-Vacuum - LIGHT GREEN FILM

High temp up to +200C heat stabilized film best for pre preg and complex geometries pre preg parts in the autoclave due to its softness and toughness, PA structure

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305028	T-200HS-50-45mm-305m	M2	50	0,45	305

* For different range of peelply widths-types please contact with Büfa representatives

BÜFA®-Vacuum - PEEL PLY POLYESTER

Art.no.	Description	Unit	Roll width [cm]	Roll lenght [m]
9305300	PES80 - 152cm	M2	152	100
9305321	PES80 - 100 cm	M2	100	100
9305320	PES80- 50 cm	M2	50	100
9305301	PES80 - 30 cm	M2	30	100
9305303	PES80 - 20 cm	M2	20	100
9305304	PES80 - 15 cm	M2	15	100
9305302	PES80 - 10 cm	M2	10	100

BÜFA®-Vacuum - PEEL PLY NYLON

Art.no.	Description	Unit	Roll width [cm]	Roll lenght [m]
9305305	PA80 - 152cm	M2	152	100
9305310	PA80 - 100 cm	M2	100	100
9305311	PA80 - 50 cm	M2	50	100
9305309	PA80 - 30 cm	M2	30	100
9305308	PA80 - 20 cm	M2	20	100
9305307	PA80 - 15 cm	M2	15	200
9305306	PA80 - 10 cm	M2	10	200

• FLOW MEDIA

BÜFA®-Vacuum - MESH

Art.no.	Description	Unit	Roll width [mm]	Roll lenght [m]
9305026	6058 fast flow	M2	1,5	58
9305025	6107-3C very fast flow	M2	1,04	107
9305023	FMP 150B1 medium flow -2,5m - 120m	M2	2,5	120

BÜFA®-Vacuum - DUPLEX FLOW

Art.no.	Description	Unit	Roll width [mm]	Roll lenght [m]
9305012	RFM 1.45m-100m	M2	1,45	100

BÜFA®-Vacuum - TRIPLEX FLOW

Art.no.	Description	Unit	Roll width [mm]	Roll lenght [m]
9305013	PRFM 1.52m-100m	M2	1,52	100

BÜFA®-Vacuum - BREATHER

Art.no.	Description	Unit	Density [g/m ²]	Roll width [mm]	Roll lenght [m]
9305206	150gr-1.5m-100m	M2	150	1,5	100
9305021	250-300gr-1.5m-50m	M2	300	1,5	50
9305207	300gr-1.0m-100m	M2	300	1,0	100

• RELEASE FILMS

Available in P3 and P31 perforation

BÜFA®-Vacuum - BLUE FILM

is standard up to +125C low temp film PE

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305018	P31 Release film 125-28-1.5m-250m	M2	28	1,5	250

Available in P3 and P31 perforation

BÜFA®-Vacuum - YELLOW FILM

middle temp up to +150C better release props PP, close to same as green

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305017	P31 Release film 150-30-1.5m-250m	M2	30	1,5	250

Available in P3 and P31 perforation

BÜFA®-Vacuum - GREEN FILM

middle temp up to +150C, PP it can have better release compare to yellow

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305019	150-30-1.5m-250m	M2	30	1,5	250
9305020	P31 Release film 150-30-1.5m-250m	M2	30	1,5	250

BÜFA Vacuum film packaging methods

* For different range of vacuum film widths-thickness-packing options please contact with Büfa representatives



GUSSETES SLIT TUBE
WITH C FOLD



GUSSETES SLIT TUBE
[GS]




V-SHEET
[VS]



SHEET
[S]

* For different range of vacuum film widths-thickness-packing options please contact with Büfa representatives




Available in P3 and P31 perforation

BÜFA®-Vacuum - RED FILM

High temp up to +200C PMP film for heavy duty


Art.no.	Description	Unit	Foil thick. [µm]	Roll width [m]	Roll lenght [m]
9305027	P3 Release film 200-30-1.5m-250m	M2	30	1,5	250



• HOSES


BÜFA®-Vacuum - HOSE

Art.no.	Description	Unit	Diameter [mm]	Roll lenght [m]
9305205	V2 16x19mm - 100m	M	16	100
9305210	V2 14,5x17,5mm-100m	M	14	100
9305204	12x14mm - 200m	M	12	200
9305203	V2 10x12mm - 250m	M	10	250
9305208	8x10mm - 250m	M	8	250




BÜFA®-Vacuum - OMEGA

Art.no.	Description	Unit	Diameter [mm]	Lenght [m]
9305022	16 mm-2,5m	M2	16	2,5



BÜFA®-Vacuum - SPIRAL HOSE

Art.no.	Description	Unit	Diameter [mm]	Roll lenght [m]
9305201	12x14mm - 120m	M	12	120
9305200	10x12mm - 150m	M	10	150
9305209	8x10mm - 200m	M	8	200



BÜFA®-Vacuum - ENKA CHANNEL

Art.no.	Description	Unit	Roll width [mm]	Roll lenght [m]
9302027	100mm wide, 100m long	M	100	100
9302026	50mm wide, 100m long	M	50	100



Heat stabilized tape up to **+228C**

BÜFA®-Vacuum - GREEN POLYESTER TAPE


Art.no.	Description	Unit	Foil thick. [µm]	Roll width [mm]	Roll lenght [m]
9305014	228HS-60-100mm 66m	PC	-	100	66



Heat stabilized tape up to **+228C**

BÜFA®-Vacuum - GREEN POLYESTER TAPE

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [mm]	Roll lenght [m]
9305015	228HS-60-50mm 66m	M2	-	50	66



Heat stabilized tape up to **+228C**

BÜFA®-Vacuum - GREEN POLYESTER TAPE

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [mm]	Roll lenght [m]
9305016	228HS-60-25mm 66m	PC	-	25	66



BÜFA®-Vacuum - BLACK SEAL TAPE

Art.no.	Description	Unit	Foil thick. [µm]	Roll width [mm]	Roll lenght [m]
9305100	3MM X 10MM (15M) X 22pc	M	3	10	15



BÜFA®-Vacuum INFUSING BLOCK

Art.no.	Description	Unit	Diameter [mm]
9300970	PVINB-16	PC	16



BÜFA®-Vacuum CONNECTOR L

Connector dm nr matches with hose dm nr 1:1

Art.no.	Description	Unit	Out diam. [mm]	Qty in package [pc]
9305340	10 mm	PC	10	500
9305341	14,5 mm	PC	14,5	350
9305342	16 mm	PC	16	200



BÜFA®-Vacuum CONNECTOR T

Connector dm nr matches with hose dm nr 1:1

Art.no.	Description	Unit	Out diam. [mm]	Qty in package [pc]
9305325	10 mm	PC	10	400
9305326	14,5 mm	PC	14,5	600
9305327	16 mm	PC	16	350



BÜFA®-Vacuum INFUSING VALVE

Art.no.	Description	Unit	Out diam. [mm]	Qty in package [pc]
9305322	10 mm	PC	10	500
9305323	14,5 mm	PC	14,5	300
9305324	16 mm	PC	16	225



BÜFA®-Vacuum - ADHESIVE

Art.no.	Description	Unit	Packaging
9305400 5556	701 - 500ml(EU)	PC	600 ml



BÜFA®-Vacuum - REGULATOR

Art.no.	Description	Unit	Packaging
9309114	GVR200-08G	PC	1



BÜFA®-Vacuum - CATCH POT FOR RESIN

Art.no.	Description	Unit	Capacity [l]
9300099	VT1621S	PC	4,2





BÜFA®-Vacuum - BUCKET

Art.no.	Description	Unit	Pcs per pack
0268193	Bucket 5 ltr - metal handle	PACK	25
0268028	Bucket 5 ltr - plastic handle	PACK	25
0268350	Bucket 10 ltr - metal handle	PACK	25
0268029	Bucket 10 ltr - plastic handle	PACK	25
0268059	Bucket 20 ltr - metal handle	PACK	15



BÜFA®-Vacuum - POWER WIPES

Art.no.	Description	Unit	Packaging
0320017	Power Wipes Heavy Duty	PC	bucket
0320009	Power Wipes Heavy Duty - Refill	PC	bucket



Infusion Accessories – Comprehensive Solutions for Professionals

Boost process efficiency and product quality with the right accessories

Vacuum infusion is an advanced composite manufacturing method that ensures uniform fiber impregnation, minimal air bubbles, reduced resin consumption, and high product strength.

Key Accessories:

Vacuum films and bags – guarantee airtight processing and stable lamination.

Vacuum tapes and sealants – prevent leaks and ensure reliable sealing.

Resin distribution channels (spirals, tubes, hoses) – enable optimal resin flow across the laminate.

Connectors, couplings, and valves – allow fast, safe, and leak-free connections.

Flow media – accelerate infusion and ensure even resin distribution.

Additional Materials:

Resin inlets – for precise resin feeding,

Vacuum filters – protect pumps from contamination,

Scales and dispensers – ensure accurate resin-to-hardener ratios.

Why Choose Quality Accessories?

- ✓ Reliable sealing and safety,
- ✓ Uniform resin distribution and void-free laminates,
- ✓ Time and material savings,
- ✓ Consistent results in serial production.

Benefit from our expertise – request your offer today!

BÜFA

The Complete Range for the User of Composite Materials



**BÜFA Composite Systems
GmbH & Co. KG**
Hohe Looge 2-8
26180 Rastede | Germany

Phone +49 4402 975-0
compositesystems@buefa.de

www.buefa-composites.com

Composites